

1.

2.

3.

		Qnet. ar	(Vdaf)	St. d	Na <sub>2</sub> O	M	DT
50mm		4800kcal kg	18% 38%	2.5 %	2.0 %	8%	1350
		4600kcal kg	15% 40%	4.0 %	2.0 %	---	---

1.

5

3000

2.

2024 2 1 10

< 1 10

1 2 15 8 3000

2 15 8 5000

20 /

8000

0.02 / .

3.

13 %

4.

10

2304343109122102320

5.

<p>Qnet. ar 4800 St. d 2.5% 18% Vdaf 38% Na<sub>2</sub>O 2.0% 0. xxx / .</p>	<p>Qnet. ar &lt;4800 Kcal / Qnet. ar 100 0.005 / . 100 38%&lt;Vdaf 40% Vdaf 1 0.002 / Vdaf 40% 1 0.005 / . 8000 &lt; 12000 8000 0.02 / . &gt;12000 12000 0.03</p>	<p>1. 2.5%&lt;St. d 3.0% St. d 0.1 1 2. 3.0%&lt;St. d 3.5% St. d 0.1 2 3. St. d&gt;3.5% St. d 0.1 5</p>	<p>1. 2.0%&lt;Na<sub>2</sub>O 3.5% 0.1 5 0.1 2. 3.5%&lt;Na<sub>2</sub>O 4.5% 0.1 10 3. Na<sub>2</sub>O&gt;4.5% 0.1 20 0.1</p>	<p>90-110% 80% &lt;90% -0.002 / 70% &lt;80% 60% -0.004 / . &lt;70% -0.006 / 50% &lt;60% -0.008 / 40% &lt;50% -0.010 / . &lt;40% -0.020 / .</p>
	<p>Qnet. ar 4600Kcal / St. d 4.0% 5% Vdaf 40% Na<sub>2</sub>O 2.0%</p>	<p>Qnet. ar &lt;4600 St. d 4% Vdaf &lt;15% Vdaf 40% 2.0% Vdaf &lt;15% 20 / Vdaf &lt;18% 20 /</p>		
			<p>(%) %</p>	<p>%</p>
			<p>18% Vdaf % 2.5% 4800</p>	<p>2.0%</p>

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- .

3000 3

Qnet. ar 4800kcal St. d 2.0% 18% Vdaf 38% 2.0%

0 1 10 0 0- 0 0 0- 0